# CONTACT US

联系我们


## CONTACT US

Mobile/WeChat/WhatsApp: +8613698955587

Email: sales@dtcflowtech.com

Address: Rm 418, Zhongchuang Ronghui,Guangshen Avenue West No. 495,Xintang, Zengcheng District,Guangzhou, 510535, China

Facility: Cangzhou City, Hebei Province, China

Website: https://dtcflowtech.com

Dingtai Chang International Trade (Guangzhou) Co., Ltd.

鼎泰昌国际贸易（广州）有限公司

DTC International

选鼎泰昌 安心靠谱 实力护航

Choose Dingtai Chang - Trustworthy & Capable




# 卫生级管道产品目录

## Sanitary Pipeline Product Display

DTC International

# 产品应用领域
# Application Areas



食品 | Food Industry



纯净水 | Purified Water Industry



啤酒 | Brewing Industry




生物工程 | Bioengineering



制药 | Pharmaceutical Industry

DTC International

# 产品应用领域
# Application Areas



化工 | Chemical Industry



日化品 | Daily Chemicals



高纯度气体 | High-Purity Gas



电子工程 | Electronics Industry




化纤工业 | Chemical Fiber Industry



造纸 | Paper Industry

# 目录 CATALOGUE

01 管材 | Pipes



02 管件 | Fittings



03 法兰 | Flanges



04 阀门 | Valves



05 包装 | Packaging




06 案例 | Cases


DTC International

# 不锈钢卫生级管
# Stainless steel sanitary pipe

## 产品描述
## Product Description

本系列产品可以依照美标ASTM A270标准进行订制，满足客户需求。
This series of products can be customized according to American standards ASTM^A270 to meet customers' various needs for stainless steel products.






| 规格(mm) \ 壁厚(mm) | | 0.89 | 0.90 | 1.00 | 1.07 | 1.20 | 1.24 | 1.50 | 1.65 | 2.00 | 2.11 | 2.50 | 2.77 | 3.05 | 4.00 | 5.00 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| inch | OD | 20GA | | | 19GA | | 18GA | | 16GA | | 14GA | | 12GA | 11GA | | |
| 5/8 | 15.90 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | | | | | | |
| 3/4 | 19.10 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | | | | | | |
| 7/8 | 22.20 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | | | | | | |
| 1 | 25.40 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | | | | |
| 11/8 | 28.60 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | | | | |
| 11/4 | 31.80 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | | | | |
| | 33.40 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | | | | |
| | 35.00 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | | | | |
| 11/2 | 38.10 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | | | | |
| | 41.30 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | | | | |
| | 42.70 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | | | | |
| 13/4 | 44.50 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | | | | |
| | 48.60 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | | | | |
| 2 | 50.80 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | | | | |
| 21/4 | 57.00 | | | | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | | | | |
| 23/8 | 60.30 | | | | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | | | | |
| 21/2 | 63.50 | | | | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | | | | |
| 3 | 76.20 | | | | | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | | | |
| 31/2 | 88.90 | | | | | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | | |
| 4 | 101.60 | | | | | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | | | |
| 41/2 | 114.30 | | | | | | | ■ | ■ | ■ | ■ | ■ | ■ | | | |
| 51/2 | 139.70 | | | | | | | ■ | ■ | ■ | ■ | ■ | ■ | | | |
| | 154.90 | | | | | | | ■ | ■ | ■ | ■ | ■ | ■ | | | |
| | 165.20 | | | | | | | ■ | ■ | ■ | ■ | ■ | ■ | | | |
| 65/8 | 168.30 | | | | | | | | | ■ | ■ | ■ | ■ | ■ | | |
| 85/8 | 219.08 | | | | | | | | | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 103/4 | 273.05 | | | | | | | | | | | ■ | ■ | ■ | ■ | ■ |
| 123/4 | 323.85 | | | | | | | | | | | | | ■ | ■ | ■ |
| 14 | 355.60 | | | | | | | | | | | | | ■ | ■ | ■ |
| 16 | 406.40 | | | | | | | | | | | | | ■ | ■ | ■ |


DTC International

# 不锈钢卫生级管
# Stainless steel sanitary pipe

## 产品描述
## Product Description

本系列产品可以依照美标ASTM A270标准进行订制，满足客户不同需求。
This series of products can be customized according to American standards ASTM A270 to meet customers' various needs for stainless steel products.





### 公差 Tolerance


| 项目 Poject / 规范 Specification | 外径公差 Outer diameter tolerance (mm) | | 厚度公差 Thickness tolerance (mm) | 长度 Length (mm) | |
|---|---|---|---|---|---|
| ASTM A270 | ≤25.4 | ±0.13 | ±10.0% | OD≤101.6 | +3.2 -0.0 |
| | > 25.4~50.8 | ±0.20 | | | |
| | 50.8~76.2 | ±0.25 | | | |
| | > 76.2~101.6 | ±0.38 | | | |
| | > 101.6~ < 139.7 | ±0.38 | | OD > 101.6 | +4.8 -0.0 |
| | ≥139.7~ < 203.2 | ±0.76 | | | |
| | ≥203.2~ < 304.8 | ±1.27 | | | |


DTC International

# 不锈钢卫生级管
# Stainless steel sanitary pipe

## 产品描述
## Product Description

本系列产品可以依照ISO 2037标准进行订制，满足客户需求。
This series of products can be customized according to ISO 2037 to meet customers' various needs for stainless steel products.






| 英制(mm) | 外径(mm) | 1.0 | 1.2 | 1.6 | 2.0 | 2.6 | 3.2 |
|---|---|---|---|---|---|---|---|
| inch | OD | | | | | | |
| | 12.00 | ■ | | | | | |
| | 17.20 | ■ | | | | | |
| | 21.30 | ■ | | | | | |
| 1″ | 25.00 | | ■ | ■ | | | |
| | 33.70 | | ■ | ■ | | | |
| 1-1/2″ | 38.00 | | ■ | ■ | | | |
| | 40.00 | | ■ | ■ | | | |
| 2″ | 51.00 | | | ■ | | | |
| 2-1/2″ | 63.50 | | | ■ | | | |
| | 70.00 | | | ■ | | | |
| 3″ | 76.10 | | | ■ | | | |
| 3-1/2″ | 88.90 | | | | ■ | | |
| 4″ | 101.60 | | | | ■ | | |
| 4-1/2″ | 114.30 | | | | ■ | | |
| 5-1/2″ | 139.70 | | | | ■ | | |
| 6″ | 168.30 | | | | ■ | | |
| 8″ | 219.10 | | | | | ■ | |
| 10″ | 273.00 | | | | | ■ | |
| 12″ | 323.90 | | | | | ■ | |
| 14″ | 355.60 | | | | | ■ | |
| 16″ | 406.40 | | | | | | ■ |


DTC International

# 不锈钢卫生级管
# Stainless steel sanitary pipe

## 产品描述
## Product Description

本系列产品可以依照ISO 2037标准进行订制，满足客户需求。
This series of products can be customized according to ISO 2037 to meet customers' various needs for stainless steel products.





### 公差 Tolerance


| 项目 Poject / 规范 Specification | 外径公差 Outer diameter tolerance (mm) | | 厚度公差 Thickness tolerance (mm) | 长度 Length (mm) | |
|---|---|---|---|---|---|
| ISO 2037 | ≤25.00 | ±0.13 | ±10.0% | OD≤168.3 | +3.18-0.0 |
| | > 25.00~51.00 | ±0.20 | | | |
| | 63.50~88.90 | ±0.25 | | | |
| | > 88.9~139.7 | ±0.38 | | | |
| | > 139.7~168.3 | ±0.76 | | OD > 168.3 | +25.4-0.0 |
| | 219.1 | ±1.55 | | | |
| | > 219.1~ < 406.4 | ±1.60 | | | |


DTC International

# 不锈钢卫生级管
# Stainless steel sanitary pipe

## 产品描述
## Product Description

本系列产品可以依照DIN11850-1标准进行订制，满足客户需求。
This series of products can be customized according to DIN11850-1 to meet customers' various needs for stainless steel products.






| 英制(mm) | 外径(mm) | 1.0 | 1.5 | 2.0 |
|---|---|---|---|---|
| inch | OD | | | |
| 3/8″ | 12 | | | |
| 1/2″ | 18 | | | |
| 3/4″ | 22 | | | |
| 1″ | 28 | | | |
| 1-1/4″ | 34 | | | |
| 1-1/2″ | 40 | | | |
| 2″ | 52 | | | |


DTC International

# 不锈钢卫生级管
# Stainless steel sanitary pipe

## 产品描述
## Product Description

本系列产品可以依照德标DIN11850系列一标准进行订制，满足客户不同需求。
This series of products can be customized according to DIN11850 Series 1 to meet customers' various needs for stainless steel products.





公差 Tolerance


| 项目 Poject / 规范 Specification | 外径公差 Outer diameter tolerance (mm) | | 厚度公差 Thickness tolerance (mm) | 长度 Length (mm) | 重量 Weight Kg/m |
|---|---|---|---|---|---|
| DIN11850 Series 1 | 12 | ±0.12 | ±10% | +3.00 | 0.27 |
| | 18 | ±0.12 | | +3.00 | 0.42 |
| | 22 | ±0.12 | | +3.00 | 0.51 |
| | 28 | ±0.15 | | +3.00 | 0.66 |
| | 34 | ±0.15 | | +3.00 | 0.82 |
| | 40 | ±0.20 | | +3.00 | 0.97 |
| | 52 | ±0.20 | | +3.00 | 1.27 |


DTC International

# 不锈钢卫生级管
# Stainless steel sanitary pipe

## 产品描述
## Product Description

本系列产品可以依照DIN11850-2标准进行订制，满足客户需求。
This series of products can be customized according to DIN11850-2 to meet customers' various needs for stainless steel products.






| 英制(mm) | 外径(mm) | 1.0 | 1.5 | 2.0 |
|---|---|---|---|---|
| inch | OD | | | |
| 3/8″ | 13 | | | |
| 1/2″ | 19 | | | |
| 3/4″ | 23 | | | |
| 1″ | 29 | | | |
| 1-1/4″ | 35 | | | |
| 1-1/2″ | 41 | | | |
| 2″ | 53 | | | |
| 2-1/2″ | 70 | | | |
| 3″ | 85 | | | |
| 4″ | 104 | | | |
| 5″ | 129 | | | |
| 6″ | 154 | | | |
| 8″ | 204 | | | |


DTC International

# 不锈钢卫生级管
# Stainless steel sanitary pipe

## 产品描述
## Product Description

本系列产品可以依照德标DIN11850系列二标准进行订制，满足客户不同需求。
This series of products can be customized according to DIN11850 Series 2 to meet customers' various needs for stainless steel products.





| 公差 Tolerance | | | | | |
|---|---|---|---|---|---|
| 规范 Specification / 项目 Poject | 外径公差 Outer diameter tolerance (mm) | | 厚度公差 Thickness tolerance (mm) | 长度 Length (mm) | 重量 Weight Kg/m |
| DIN11850 Series 2 | 13 | ±0.30 | ±10% | +3.00 | 0.43 |
| | 19 | ±0.30 | | +3.00 | 0.66 |
| | 23 | ±0.30 | | +3.00 | 0.81 |
| | 29 | ±0.25 | | +3.00 | 1.03 |
| | 35 | ±0.30 | | +3.00 | 1.26 |
| | 41 | ±0.30 | | +3.00 | 1.50 |
| | 53 | ±0.30 | | +3.00 | 1.94 |
| | 70 | ±0.30 | | +3.00 | 3.43 |
| | 85 | ±0.30 | | +3.00 | 4.16 |
| | 104 | ±0.40 | | +3.00 | 5.03 |
| | 129 | ±0.40 | | +10.00 | 6.36 |
| | 154 | ±0.40 | | +10.00 | 7.61 |
| | 204 | ±0.40 | | +10.00 | 10.12 |

DTC International

# 卫生级焊接管件
# Sanitary Welded Pipe Fittings

## 产品描述
## Product Description

本系列产品可以根据客户需求,提供ISO/DIN/IDF/SMS/3A等标准的产品。
This series of products can be customized according to ISO/DIN/IDF/SMS/3A to meet customers various needs for stainless steel products.




卫生级焊接90° 弯头
Sanitary grade welded 90 ° elbow



卫生级焊接45° 弯头
Sanitary grade welded 45 ° elbow



卫生级焊接加长弯头
Sanitary welded extended elbow



卫生级焊接180° 弯头
Sanitary grade welded 180 ° elbow



卫生级焊接S型弯头
Sanitary grade welded S-shaped elbow



卫生级焊接偏心大小头
Sanitary grade welding eccentric reducer




卫生级焊接同心大小头
Hygienic grade welding concentric reducer

DTC International

# 卫生级焊接管件
# Sanitary Welded Pipe Fittings

## 产品描述
## Product Description

本系列产品可以根据客户需求,提供ISO/DIN/IDF/SMS/3A等标准的产品。
This series of products can be customized according to ISO/DIN/IDF/SMS/3A to meet customers various needs for stainless steel products.




卫生级焊接等径三通
Sanitary welding equal diameter tee




卫生级焊接平口三通
Sanitary welding flat tee



卫生级焊接异径三通
Sanitary welding reducing tee



卫生级焊接斜三通
Sanitary grade welded diagonal tee



卫生级焊接Y型三通
Sanitary welding Y-shaped tee



卫生级焊接U型三通
Sanitary welding U-shaped tee



卫生级焊接等径四通
Sanitary welding equal diameter cross



卫生级焊接异径四通
Sanitary welding reducing cross

DTC International


# 卫生级焊接管件
# Sanitary Welded Pipe Fittings

## 产品描述
## Product Description

本系列产品可以根据客户需求,提供ISO/DIN/IDF/SMS/3A等标准的产品。
This series of products can be customized according to ISO/DIN/IDF/SMS/3A to meet customers various needs for stainless steel products.



卫生级快装90° 弯头
90° quick elbow



卫生级快装45° 弯头
45° quick elbow



卫生级快装180° 弯头
180° quick elbow



卫生级快接同心大小头
quick concentric size head



卫生级快接偏心大小头
quick eccentric size head



卫生级快接等径三通
quick equal diameter tee

DTC International

# 卫生级焊接管件
## Sanitary Clamp Fittings

### 产品描述
Product Description

本系列产品可以根据客户需求,提供ISO/DIN/IDF/SMS/3A等标准的产品,材质SUS304/SUS316L,应用范围:食品、饮料、制药、乳制品、啤酒以及精细化工。
This series of products can be customized according to Americanstandards A270 to mee customers various needs for stainless steel products.




卫生级快接异径三通
quick connecting reducing tee



卫生级快接斜三通
quick tap tee



卫生级快接Y型三通
英文XXX



卫生级快接U型三通
quick U-tee



卫生级快装等径四通
quick four tee



卫生级快装异径四通
quick reducing cross

DTC International

# 卫生级球阀
# Sanitary Ball Valves

## 产品描述
## Product Description

本系列产品可以根据客户需求,提供ISO/DIN/IDF/SMS/3A等标准的产品。
This series of products can be customized according to ISO/DIN/IDF/SMS/3A to meet customers various needs for stainless steel products.



快装球阀
Quick Ball Valve



新型快装球阀
New Quick Ball Valve



丝扣球阀
Threaded ball valve



蝶形球阀
Butterfly ball valve



卡箍式快装球阀
Clamp type ball valve

DTC International

# 卫生级球阀
# Sanitary Ball Valves

## 产品描述
## Product Description

本系列产品可以根据客户需求,提供ISO/DIN/IDF/SMS/3A等标准的产品。
This series of products can be customized according to ISO/DIN/IDF/SMS/3A to meet customers various needs for stainless steel products.



快装三片式球阀
Three piece ball valve



快装三片式球阀
Three piece ball valve



快装三通球阀
Three way ball valve



快装三通球阀
Three way ball valve



快装气动球阀
Pneumatic ball valve



快装气动球阀
Pneumatic ball valve

DTC International

# 卫生级止回阀
# Sanitary Check Valves

## 产品描述
## Product Description

本系列产品可以根据客户需求,提供ISO/DIN/IDF/SMS/3A等标准的产品。
This series of products can be customized according to ISO/DIN/IDF/SMS/3A to meet customers various needs for stainless steel products.



快装止回阀
Quick check valve



螺纹止回阀
threaded check valve



活接止回阀
union check valve



活接止回阀
union check valve



焊接球型止回阀
Ball check valve



法兰止回阀
Flange check valve

DTC International

# 卫生级蝶阀
# Sanitary Butterfly Valves

## 产品描述
## Product Description

本系列产品可以根据客户需求,提供ISO/DIN/IDF/SMS/3A等标准的产品。
This series of products can be customized according to ISO/DIN/IDF/SMS/3A to meet customers various needs for stainless steel products.



外丝蝶阀
Outer wire butterfly valve



内丝蝶阀
Inner Wire Butterfly Valve



快装蝶阀
Quick butterfly valve



快装蝶阀
Quick butterfly valve



焊接蝶阀（方形手柄）
Welded Butterfly Valve




焊接蝶阀
Welded Butterfly Valve



三片式焊接蝶阀
Three piece welded butterfly valve



三片式焊接蝶阀
Three piece welded butterfly valve



对夹蝶阀
Wafer Butterfly Valve



法兰蝶阀
Flange butterfly valve

DTC International

# 卫生级蝶阀
# Sanitary Butterfly Valves

## 产品描述
## Product Description

本系列产品可以根据客户需求,提供ISO/DIN/IDF/SMS/3A等标准的产品。
This series of products can be customized according to ISO/DIN/IDF/SMS/3A to meet customers various needs for stainless steel products.




蝶阀
butterfly valve



卫生级蝶阀
Sanitary Butterfly Valve



鸭嘴式蝶阀
Duckbill Butterfly Valve




鸭嘴式蝶阀
Duckbill Butterfly Valve



智能气动蝶阀
Intelligent pnaeumatic butterfly valve



气动蝶阀（不锈钢气动头）
Pneumatic butterfly valve (stainless steel pneumatic head)



立式气动快装蝶阀
Vertical pneumatic quick installation butterfly



气动蝶阀（铝制气动头）
Pneumatic butterfly valve (aluminum pneumatic head)



气动卡箍蝶阀
Pneumatic clamp butterfly valve

DTC International

# 卫生级隔膜阀
# Sanitary Diaphragm Valves

## 产品描述
## Product Description

本系列产品可以根据客户需求,提供ISO/DIN/IDF/SMS/3A等标准的产品。
This series of products can be customized according to ISO/DIN/IDF/SMS/3A to meet customers various needs for stainless steel products.



快装隔膜阀
Quick diaphragm valve



快装隔膜阀
Quick diaphragm valve




隔膜阀
diaphragm valve



气动快装隔膜阀
Pneumatic Diaphragm Valve



气动快装隔膜阀
Pneumatic Diaphragm Valve



快装U型隔膜阀（一体式）
U- Diaphragm Valve



快装U型三通隔膜阀
U-Three way diaphragm valve



快装三通隔膜阀
Three way diaphragm valve




快装三通隔膜阀
Three way diaphragm valve

DTC International

# 卫生级阀门
# Sanitary Valves

## 产品描述
## Product Description


本系列产品可以根据客户需求,提供ISO/DIN/IDF/SMS/3A等标准的产品。
This series of products can be customized according to ISO/DIN/IDF/SMS/3A to meet customers various needs for stainless steel products.



手动调节阀
Manual control valve



手动流量调节阀
Manual flow control valve




手动截止阀
Manual stop valve



取样阀
Sampling valve



快装取样阀
Quick Sampling valve



手柄无菌取样阀
Handle sterile sampling valve



手轮无菌取样阀
Handwheel sterile sampling valve



液位计（三通）
Level sensor (tee)



液位计（四通）
Level sensor (four-way)



地漏
Floor drain

# 卫生级法兰系列
# Sanitary Flange Series

## 产品描述
## Product Description

本系列产品可以根据客户需求定制。
This series of products can be customized according to customers various needs.



平焊法兰
flat welding flange



PL板式平焊法兰
PL plate flat welding flange



SO带颈平焊法兰
SO neck flat welding flange



SW承插焊法兰
SW socket welding flange



对焊法兰
Butt welding flange

DTC International

# 卫生级法兰系列
# Sanitary Flange Series

## 产品描述
## Product Description

本系列产品可以根据客户需求定制。
This series of products can be customized according to customers various needs.



WN带颈对焊法兰
WN neck butt welding flange



螺纹法兰
threaded flange



蝶阀法兰
Butterfly valve flange



平板钢制法兰
Flat steel flange



法兰盲板
Flange blind plate



BL法兰盖
BL flange cover

DTC International

# 卫生级接头系列
# Sanitary Connector Series

## 产品描述
## Product Description

本系列产品可以根据客户需求,提供ISO/DIN/IDF/SMS/3A等标准的产品。
This series of products can be customized according to ISO/DIN/IDF/SMS/3A to meet customers various needs for stainless steel products.



SMS活接头
SMS union



DIN活接头
DIN union



RJT活接头
RJT union



活接头螺纹
union thread



快装接头
quick connector



拷贝林接头
copy forest linker

DTC International

# 卫生级接头系列
# Sanitary Connector Series

## 产品描述
## Product Description

本系列产品可以根据客户需求,提供ISO/DIN/IDF/SMS/3A等标准的产品。
This series of products can be customized according to ISO/DIN/IDF/SMS/3A to meet customers various needs for stainless steel products.



焊接皮管接头
Welded leather hose connector



快装皮管接头
Quick-fit leather hose connector




快装外丝接头
Quick-fit male connector



快装内丝接头
Quick-fit female connector



卫生级快卡片
Sanitary Fast Card



卫生级闷板
Sanitary dull board

DTC International

# 卫生级卡箍系列
## Sanitary Clamp Series

### 产品描述
Product Description

本系列产品可以根据客户需求,提供ISO/DIN/IDF/SMS/3A等标准的产品。
This series of products can be customized according to ISO/DIN/IDF/SMS/3A to meet customers various needs for stainless steel products.



安全卡箍
safety clamp



单销对叠卡箍
Single Pin Stacked Clamps



高压卡箍
High pressure clamp



夹中间卡箍
middle clamp



拷贝林卡箍
copy forest clip



三节卡箍
Three-section clamp



双销对叠卡箍
Double Pin Overlapping Clamp

DTC International

# 卫生级支架系列
# Sanitary Bracket Series

## 产品描述
## Product Description

本系列产品可以根据客户需求,提供ISO/DIN/IDF/SMS/3A等标准的产品。
This series of products can be customized according to ISO/DIN/IDF/SMS/3A to meet customers various needs for stainless steel products.











DTC International


# 产品包装
## Product Packaging














DTC International

# 工程案例
# Engineering Cases

## 广西南方黑芝麻食品股份有限公司
## Guangxi South Black Sesame Food Co., Ltd.







## 江西仁和药厂项目
## Jiangxi Renhe Pharmaceutical Factory Project







DTC International

# 工程案例
# Engineering Cases

## 南宁比亚迪工厂
## Nanning BYD Factory










## 福建合口味食品工业有限公司
## Fujian Hetaste Food Industry Co., LTD






DTC International

# 工程案例
## Engineering Cases

### 广西蒙娜丽莎陶瓷藤县生产基地
### Guangxi Mona Lisa ceramic rattan county production base





### 深圳龙岗天马微电子厂
### Shenzhen Longgang Tianma microelectronics factory



